# **UPSEE 2019**

#### PAPER-CSIT: CODE AA\*

<b>ANSWER KEY</b>	, Examination	Date:	21-04-2019
-------------------	---------------	-------	------------

1	С	26	С	51	В	76	С
2	А	27	В	52	В	77	В
3	А	28	D	53	D	78	В
4	С	29	А	54	А	79	С
5	D	30	С	55	В	80	D
6	С	31	В	56	А	81	С
7	В	32	А	57	D	82	В
8	А	33	D	58	С	83	В
9	D	34	С	59	D	84	D
10	В	35	А	60	С	85	А
11	D	36	В	61	С	86	С
12	В	37	А	62	С	87	С
13	В	38	С	63	С	88	С
14	А	39	D	64	D	89	D
15	В	40	В	65	В	90	D
16	В	41	А	66	В	91	В
17	В	42	С	67	В	92	А
18	А	43	D	68	А	93	А
19	А	44	С	69	С	94	С
20	В	45	D	70	С	95	В
21	D	46	D	71	А	96	С
22	С	47	В	72	А	97	С
23	В	48	D	73	С	98	С
24	A	49	А	74	D	99	В
25	D	50	С	75	А	100	А

<u>Note:</u> In case of any grievance, it must be reported at <u>upseegrievance@aktu.ac.in</u> along with Students Roll No. with Paper Code, Question Booklet Code, Question No. and suggested answer with supporting documents on or before 03<sup>rd</sup> May 2019.

\*प्रश्न पुस्तिका क्रमांक AA का प्रश्नपत्र एवं कुंजी प्रकाशित की जा रही है। प्रश्न पुस्तिका क्रमांक BB, CC तथा DD में प्रश्नों एवं उनके विकल्पों का क्रम परिवर्तित है कृपया तद्नुसार उत्तर मिलान करें।

Poll No	Q	lestion Booklet S	: No.	Q. Bookle
OMR Answer Sheet No.				
Declaration : I have read and understood the instructions given on pa	ige No. 1	Seal of S	Superintendent of Ex	amination Centre
Signature of Candidate as signed in application)			Signature of the In	vigilator
Name of Candidate :				
<b>To be copied by the candidate in your own ha</b> "You will know you are in the right profession who you know your work is important."	ndwriting in t en : you wake	ne space given anxious to go to	below for this p work, you want to	urpose is compul o do your best daily
* After cutting half upper part of this page, invigilato	or preserve it al	 ong with student	 's OMR sheet.	
				~~~×~
No. of Pages in Booklet including title 16	Time 2 Hours	Marks	No. of Ques	stions in Booklet
CSIT	lestion Booklet Sr.	No.		
CSIT Qu Roll No.	lestion Booklet Sr.	No.		
Qu Roll No.	uestion Booklet Sr.	No.	Signature	e of the Invigilator
Qu Roll No.	uestion Booklet Sr.	No.	Signature	e of the Invigilator
CSIT Qu Roll No. Name of Candidate :	uestion Booklet Sr.	No.	Signatur	e of the Invigilator Q. Bookle
CSIT Qu Roll No. Name of Candidate :	JCTIONS T	No.	E	e of the Invigilator Q. Bookle
CSIT       Qu         Roll No.	JCTIONS T(	No. D CANDIDAT and for filling th	E bubbles in the C	e of the Invigilator Q. Bookle A
CSIT  Roll No.  Name of Candidate :  INSTRU  1. Use BLUE or BLACK BALL POINT PEN only  2. Before opening the SECURITY SEAL of the Answer-sheet Number in the space provided would mean that the Answer Sheet can not b	JCTIONS TO for all entries question book at the top of the pe evaluated le	D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu	E Signature	e of the Invigilator Q. Bookle A DMR Answer Sheet er (In figures), and nce of these instruct andidate.
CSIT       Question         Roll No.       Image: Comparison of Candidate in the space of Candidate in the space provided provided in the space provided in the space p	JCTIONS T( r for all entries question book at the top of the be evaluated le rill be negative e deducted for	No. D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu marking on wro each wrong ans	E Signature E bubbles in the C ame, Roll Number det. Non-compliar alification of the c ng answer. FOUF swer. No marks with	e of the Invigilator Q. Bookle A DMR Answer Sheet er (In figures), and of these instruct andidate. R marks will be awa ill be deducted/awa
CSIT       Question         Roll No.       Image: Comparison of Candidate in the space of Candidate in the space provided i	JCTIONS TO y for all entries question book at the top of the be evaluated le vill be negative e deducted for correct answer	No. D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu marking on wro each wrong ans . More than one	E Signature E bubbles in the C ame, Roll Number det. Non-compliar alification of the c ng answer. FOUF swer. No marks with answer indicated	e of the Invigilator Q. Bookle Q. Bookle Comparison Q. Bookle Comparison Q. Bookle Comparison Q. Bookle Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Comparison Compar
CSIT       Quint         Roll No.       Image: Comparison of Candidate in the space of Candidate in the space provided in the space provided in the space provided would mean that the Answer Sheet can not be the Answer and ONE marks. There we for each correct answer and ONE mark will be for unattempted questions.         4. Each multiple choice question has only one of be treated as incorrect answer.         5. Use of log table, mobile phones, any electror calculator is permitted.	JCTIONS TO of for all entries question book at the top of the be evaluated le fill be negative e deducted for correct answer onic gadget an	No. D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu marking on wro each wrong ans . More than one d slide rule etc.	E Signature E bubbles in the C ame, Roll Number det. Non-compliar alification of the ca ng answer. FOUF swer. No marks with answer indicated is strictly prohibit	e of the Invigilator Q. Bookle Q. Bookle Comparison OMR Answer Sheet er (In figures), and ince of these instruct andidate. R marks will be awa ill be deducted/awa d against a questio ted. Non-programn
CSIT       Quint         Roll No.       Image: Constraint of Candidate in the space of Candidate in the space provided of the Answer-sheet Number in the space provided would mean that the Answer Sheet can not be the Answer and ONE marks. There we for each correct answer and ONE mark will be for unattempted questions.         4.       Each question carries FOUR marks. There we for each correct answer and ONE mark will be for unattempted questions.         4.       Each multiple choice question has only one of be treated as incorrect answer.         5.       Use of log table, mobile phones, any electror calculator is permitted.         6.       Candidate will be allowed to leave the examination of the context of the carries for the carrect of	JCTIONS TO JCTIONS TO of for all entries question book at the top of the e evaluated le vill be negative e deducted for correct answer onic gadget an nation hall at the	No. D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu marking on wro each wrong ans . More than one d slide rule etc. he end of exami	E Signature E bubbles in the C ame, Roll Numbe det. Non-compliar alification of the ca ng answer. FOUF swer. No marks with answer indicated is strictly prohibit nation time period	e of the Invigilator Q. Bookle Q. Bookle A DMR Answer Shee er (In figures), and ince of these instruct andidate. R marks will be awa ill be deducted/awa d against a questio ted. Non-programm
CSIT       Quint         Roll No.       Image: Construction of the second	JCTIONS TO JCTIONS TO of for all entries question book at the top of the e evaluated le vill be negative e deducted for correct answer onic gadget an nation hall at the s or any other p s disqualified. any source, h	No. D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu marking on wro each wrong ans . More than one d slide rule etc. he end of exami- printed or writter Similarly, if a ca- s/she is liable to	E e bubbles in the C ame, Roll Number clet. Non-compliar alification of the c ng answer. FOUF swer. No marks with answer indicated is strictly prohibit nation time period material from whandidate is found be disqualified.	e of the Invigilator Q. Bookle Q. Bookle Comparison OMR Answer Sheet er (In figures), and ince of these instruct andidate. R marks will be awa ill be deducted/awa d against a questio ted. Non-programm d only. hich he/she might d
CSIT       Quint         Roll No.       Image: Cardidate in the second sec	JCTIONS TO To all entries question book at the top of the ve evaluated le vill be negative e deducted for correct answer onic gadget an nation hall at the s or any other p s disqualified. any source, he an be taken ou	D CANDIDAT and for filling th et, write your N e Question Bool ading the disqu marking on wro each wrong ans More than one d slide rule etc. he end of exami printed or writter Similarly, if a ca e/she is liable to t from this pape	E Signature E bubbles in the C ame, Roll Number det. Non-compliar alification of the ca ng answer. FOUF swer. No marks with answer indicated is strictly prohibit nation time period material from whandidate is found be disqualified.	e of the Invigilator Q. Bookle Q. Bookle Q. Bookle A DMR Answer Sheet er (In figures), and the noce of these instruct andidate. R marks will be awa ill be deducted/awa d against a question ted. Non-programm d only. hich he/she might d giving or obtainin er must be opened

# CSIT

Section - A :		
General Aptitude	:	Q. 1 to Q. 15
Mathematics	:	Q. 16 to Q. 30
Section - B :		
Computer Science &	:	Q. 31 to Q. 100
Information Technology		

## M. Tech.: Part A-(i) General Aptitude

001.	Antonym of word "Dissent" is: (A) Renounce (B) Adopt	004.	Chose the correct meaning of the phrase "To get into hot water":
002.	<ul> <li>(C) Agree</li> <li>(D) Give</li> <li>Synonym of work "Impudent" is:</li> <li>(A) Insolent</li> <li>(B) Partial</li> <li>(C) Bankrupt</li> <li>(D) Restive</li> </ul>		<ul> <li>(A) To be impatient</li> <li>(B) To suffer huge financial loss</li> <li>(C) To get into trouble</li> <li>(D) To be in confused state of mind</li> </ul>
003.	<ul><li>Find out which part of the sentence has an error. If there is no mistake, the answer is 'No error'</li><li>(A) I have seen</li><li>(B) that film last year</li><li>(C) but I do not remember its story</li><li>(D) No error</li></ul>	005.	<ul><li>Find out the word with correct spelling:</li><li>(A) Brassere (B) Brissiere</li><li>(C) Brasiiere (D) Brassiere</li></ul>

**006.** The value of 25-5  $[2+3\{2-2(5-3)+5\}-10] \div 4$  | **012.** 

10			
(A)	5	(B)	23.25
(C)	23.75	(D)	25.75

is

**007.** If the sum of a number and its square is 182, what is the number?

(A)	12	(B)	13
(C)	28	(D)	91

- **008.** The sum of the ages of a father and his son is 45 years. Five years ago, the product of their ages was 34. The ages of the son and the father are respectively:
  - (A) 6 and 39 (B) 7 and 38
  - (C) 9 and 36 (D) 11 and 34
- **009.** A number, when 35 is subtracted from it, reduces to its 80%. What is four fifth of that number?

(A)	70	(B)	90
(C)	120	(D)	140

- **010.** If the ratio of areas of two circles is 4:9 then the ratio of their circumstances will be:
  - (A) 3:2
    (B) 2:3
    (C) 4:9
    (D) 9:4
- **011.** Army is related to Soldier as Galaxy is related to:
  - (A) Planet (B) Satellite
  - (C) Meteor (D) Star

(A) POQ(B) QOP(C) OPQ(D) QPO

IGH:TRS::?:KIJ

- **013.** '1+2+3' stands for the 'the brave boy' '2+3+4' stands for 'brave boy swims' '1+2+4+5' stands for 'the brave girl swims'. What stand for 'brave'?
  - (A) 1
     (B) 2

     (C) 3
     (D) 4
- **014.** Manipulate the symbol and find the missing number.

If	3*6=18		
	4*7=22		
	9*1=20		
the	n 5*2 =?		
(A)	14	(B)	10
(C)	7	(D)	3

- 015. In a row of children, Kamal is sixth from the left and Appu is fourth from the right. When Kamal and Appu exchange positions, Appu becomes seventeenth from the right. Which will be Kamal's position from the left?
  - (A) Twentieth
  - (B) Nineteenth
  - (C) Twenty-first
  - (D) Seventh

**016.** If 
$$A = \begin{bmatrix} 3 & -3 & 4 \\ 2 & -3 & 4 \\ 0 & -1 & 1 \end{bmatrix}$$
, then  
(A)  $A^2 = A^{-1}$  (B)  $A^3 = A^{-1}$   
(C)  $A^4 = A^{-1}$  (D)  $A^5 = A^{-1}$   
where  $A^{-1}$  is the inverse matrix of  $A$ .

**017.** The rank of the matrix

$$A = \begin{bmatrix} 1 & 1 & -1 & 1 \\ -1 & 1 & -3 & -3 \\ 1 & 0 & 1 & 2 \\ 1 & -1 & 3 & 3 \end{bmatrix}$$
 is  
(A) 1 (B) 2  
(C) 3 (D) 4  
**018.** If  $A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$  then for every integer  $n \ge 3$   
(A)  $A^n = A^{n-2} + A^2 - I$   
(B)  $A^n = A^{n-2} - A^2 + I$   
(C)  $A^n = A^{n-3} + A^2 - I$   
(D)  $A^n = A^{n-3} - A^2 - I$   
where *I* is the identity matrix of order 3.  
**019.**  $\lim_{x \to 0} x \sin \frac{1}{x} =$ 

(A) 0 (B) 1 (C)  $\infty$  (D)  $-\infty$ 

**020.** If 
$$f(x) = \begin{cases} \frac{x\left(e^{\frac{1}{x}} - e^{\frac{1}{x}}\right)}{\left(e^{\frac{1}{x}} + e^{\frac{1}{x}}\right)}, x \neq 0, then \\ 0, x = 0 \end{cases}$$
  
(A)  $f$  is continuous and derivable at  $x=0$   
(B)  $f$  is continuous but not derivable at  $x=0$   
(C)  $f$  is discontinuous at  $x = 0$   
(D)  $f$  is derivable everywhere.

**021.** The sum of the series

$$1 - \frac{1}{2^{2}} + \frac{1}{3^{2}} - \frac{1}{4^{2}} + \dots, \text{ is equal to}$$
  
(A)  $\frac{\pi^{2}}{4}$  (B)  $\frac{\pi^{2}}{6}$   
(C)  $\frac{\pi^{2}}{8}$  (D)  $\frac{\pi^{2}}{12}$ 

**022.** The general solution of the partial differential equation

$$\left(\frac{y-z}{yz}\right)\frac{\partial z}{\partial x} + \left(\frac{z-x}{zx}\right)\frac{\partial z}{\partial y} = \frac{x-y}{xy}, \text{ is}$$
(A)  $\phi(xyz, x^2 + y^2 + z^2) = 0$   
(B)  $\phi(xyz, xy + yz + zx) = 0$   
(C)  $\phi(xyz, x + y + z) = 0$   
(D)  $\phi(xyz, x^2y + y^2z + z^2x) = 0$ 

**023.** A unit vector normal to the surface  

$$x^{3} + y^{3} + 3xyz = 3$$
 at the point (1,2,-1) is  
(A)  $\frac{\hat{i} + \hat{3} + \hat{2}}{\sqrt{14}}$  (B)  $\frac{-\hat{i} + 3\hat{j} + 2\hat{k}}{\sqrt{14}}$   
(C)  $\frac{\hat{i} + 2\hat{j} + 3\hat{k}}{\sqrt{14}}$  (D)  $\frac{-\hat{i} + 2\hat{j} + 3\hat{k}}{\sqrt{14}}$ 

- **024.** The vector field defined by  $\vec{F} = (x + 2y + az)\hat{i} + (bx - 3y - z)\hat{j} + (4x + cy + 2z)\hat{k}$ is irrotational, if (A) a=4, b=2, c=-1(B) a=4, b=-2, c=1(C) a=1, b=2, c=4
  - (D) a=-1, b=4, c=2.
- **025.** The value of  $\oint_c (x^2 + xy) dx + (x^2 + y^2) dy$ where *C* is the square formed by the lines  $y = \pm 1, x = \pm 1$ , is equal to (A)  $2\pi$  (B) 2 (C) 1 (D) 0
- 026. The only solution of the differential equation  $x\frac{dy}{dx} - \frac{1}{2}y = x + 1$  for which x and y can attain the value unity is given by
  - (A)  $y = 2x \sqrt{x} + 2$ (B)  $y = 2x + \sqrt{x} + 2$ (C)  $y = 2x + \sqrt{x} - 2$ (D)  $y = 2x + \sqrt{x} - 1$
- **027.** The Laplace transform of  $e^x x^{\frac{1}{2}}$  is

(A) 
$$\frac{x}{\sqrt{s-1}}$$
 (B)  $\frac{\sqrt{\pi}}{\sqrt{s-1}}$   
(C)  $\frac{\sqrt{\pi}}{\sqrt{s+1}}$  (D)  $\frac{\pi}{\sqrt{s+1}}$ 

- 028. A die is tossed thrice. A success is getting *1* or6 on a toss. Then the mean of the number of success is
  - (A)  $\frac{1}{2}$ (B)  $\frac{1}{3}$ (C)  $\frac{2}{3}$ (D) 1
- 029. A manufacturer knows that the condensers he makes contain on an average 1% of defectives. He packs them in boxes of 100. The probability that a box picked at random will contain 4 or more faulty condensers is

(A) 
$$1 - \frac{8}{3e}$$
  
(B)  $1 - \frac{3}{8e}$   
(C)  $1 - \frac{4}{3e}$   
(D)  $1 - \frac{3}{4e}$ 

## **030.** The order of convergence of Newton

Raphson method is

- (A) 0 (B) 1
- (C) 2 (D) 3

#### M.Tech : Part B (Computer Science & Information Technology)

031 Let P be a quick sort program to sort numbers in ascending order using the first element as the pivot. Let  $t_1$  and  $t_2$  be the number of comparisons made by P for the inputs [1 2 3 4 5] and [4 1 5 3 2], respectively. Which one of the following holds?

> (A)  $t_2 = 5$  (B)  $t_1 > t_2$ (C)  $t_1 < t_2$  (D)  $t_1 = t_2$

- **032**  $f(n) = 5 \log n + 3 \log \log n$  is (A)  $\Theta(\log n)$  (B)  $\Theta(\log \log n)$ (C)  $\Theta(n)$  (D)  $\Theta(1)$
- 033 The worst-case time complexity of AVL tree is better in comparison to binary search tree for
  - (A) Search and Insert operations
  - (B) Search and Delete operations
  - (C) Insert and Delete operations
  - (D) Search, Insert, and Delete operations
- **034** Which statement is true?
  - (A) If a dynamic-programming problem satisfies the optimal-substructure property, then a locally optimal solution is globally optimal
  - (B) If a greedy choice property satisfies the optimal-substructure property, then a locally optimal solution is globally optimal
  - (C) Both of above
  - (D) None of above

- 035 Which of the following is true about Kruskal and Prim MST algorithms? Assume that Prim is implemented for adjacency list representation using Binary Heap and Kruskal is implemented using union by rank.
  - (A) Worst case time complexity of both algorithms is same
  - (B) Best case time complexity of both algorithms is same
  - (C) Worst case time complexity of Kruskal is better than Prim
  - (D) Worst case time complexity of Prim is better than Kruskal

**036** What are the time complexities of inserting a node at front and end of a circular linked list, respectively? Assume the size of the linked list is n.

- (A) O(1) and O(1)(B) O(1) and O(n)(C) O(n) and O(1)
- (D) O(n) and O(n)
- 037 Let X be a text string with n characters from an alphabet of size d. We can perform pattern matching queries on X in O(dm) time, where m is the length of the pattern, with the suffix trie of X, which uses \_\_\_\_\_\_ space and can be constructed in \_\_\_\_\_\_ time.
  (A) O(n) and O(dn)
  (B) O(dn) and O(n)
  (C) O(n) and O(n/d)
  (D) O(n/d) and O(n)

CSIT-AA]

- (A) T(n) = 2T(n/2) + O(1) and T(1) = T(0) = O(1)
- (B) T(n) = T(n-1) + O(1) and T(1) = T(0) = O(1)
- (C) T(n) = T(n/2) + O(1) and T(1) = T(0) = O(1)
- (D) T(n) = T(n-2) + O(1) and T(1) = T(0) = O(1)
- 039 If f(n) is a polynomial of degree d (that is,  $f(n) = a_0 + a_1n + a_2n^2...+ a_dn^d$ ) and  $a_0$ ,  $a_1$ ,  $a_2$ ,...,  $a_d > 0$ , then f(n) is (A) O(1) (B) O(n)
  - (C)  $O(d^n)$  (D)  $O(n^d)$
- **040** For all integers a and b and any non-negative integer n,
  - (A) gcd(an, bn) = gcd(a, b)
  - (B) gcd(an, bn) = n gcd(a, b)
  - (C) gcd(a, b) = n gcd(an, bn)
  - (D) gcd(a, b) = ab gcd(a, b)
- 041 Choose the correct answer for the following statements:
  - I. The theory of NP–completeness provides a method of obtaining a polynomial time for NP algorithms.
  - II. All NP-complete problem are NP-Hard.
  - (A) I is FALSE and II is TRUE
  - (B) I is TRUE and II is FALSE
  - (C) Both are TRUE
  - (D) Both are FALSE

- 042 An undirected graph G with n vertices and e edges is represented by adjacency list. What is the time required to generate all the connected components?
  - (A) O(n) (B) O(e)(C) O(n + e) (D)  $O(e^2)$
- 043 Consider the Fibonacci sequence F (1) = 1, F (2) = 2, and F(n) = F(n-1) + F(n-2) for n > 2. Then (A) F(n) < n logn (B) F(n) <  $n^2$ (C) F(n) <  $n^3$  (D) F(n) <  $2^n$
- 044 A set of n line segments may contain
  - (A)  $\Theta(n)$  intersection
  - (B)  $\Theta(n \log n)$  intersection
  - (C)  $\Theta(n^2)$  intersection
  - (D)  $\Theta(n^3)$  intersection
- 045 Ford–Fulkerson algorithm is used for
  - (A) Single source-single destination shortest path calculation
  - (B) Single source multiple destination shortest path calculation
  - (C) All pair shortest path calculation
  - (D) Maximum flow calculation in a network
- **046** Which of the following standard algorithms is not a Greedy algorithm?
  - (A) Dijkstra's shortest path algorithm
  - (B) Prim's algorithm
  - (C) Huffman Coding
  - (D) Bellmen Ford Shortest path algorithm

```
047 What is the time complexity of fun()? int fun(int n)
```

```
{
    count = 0;
    for(int i = n; i > 0; i /= 2)
    for(int j= 0; j < i; j++)
    {
        count= count+1;
        }
        return count;
    }
(A) O(log n) (B) O(n)
(C) O(n log n) (D) O(n<sup>2</sup>)
```

- 048 Consider the following infix expression: 4 + 3 \*(6 \* 3 - 12). Suppose, a usual stack algorithm is used to convert the expression from infix to postfix notation. The maximum number of symbols that will appear on the stack AT ONE TIME during the conversion of this expression?
  - (A) 1
    (B) 2
    (C) 3
    (D) 4
- 049 Given a graph G = (V, E), the problem is to partition the vertex set into two sets (A, B). An edge is said to be cut by this partition
  - (A) if its endpoints lie on different sides of the partition
  - (B) if its endpoints lie on same sides of the partition
  - (C) if its all vertices are connected
  - (D) if its all vertices are disjoint

- 050 A one-way hash function H maps a string (message) M of arbitrary length to an integer d = H(M) with a fixed number of bits, called the digest of M. Which property is true for one way-hash function
  - I. Given a string M, the digest of M can be computed quickly.
  - II. Given the digest d of M, but not M, it is computationally infeasible to find M.
  - (A) I is True and II is False
  - (B) I is False and II is True
  - (C) Both I and II are True
  - (D) Both I and II are False
- **051** Which of the following statements is correct about the below code? *maruti.engine.bolts=25;* 
  - (A) Structure bolts is nested within structure engine.
  - (B) Structure engine is nested within structure maruti.
  - (C) Structure maruti is nested within structure engine.
  - (D) Structure maruti is nested within structure bolts.
- **052** Which header file should be included to use functions like malloc() and calloc() in C programming?
  - (A) memory.h
  - (B) stdlib.h
  - (C) dynamic.h
  - (D) string.h

**053** Which of the following statements are correct about the below declarations?

char \*p = "Sanjay"; char a[] = "Sanjay";

- I) There is no difference in the declarations and both serve the same purpose.
- II) p is a non-const pointer pointing to a nonconst string, whereas a is a const pointer pointing to a non-const pointer.
- III) The pointer p can be modified to point to another string, whereas the individual characters within array a can be changed.
- IV) In both cases the '\0' will be added at the end of the string "Sanjay".
- (A) I, II (B) II, III
- (C) III, IV (D) None of the above
- **054** What is the difference between exit(0) and return 0 in the main function of a C program?
  - (A) no difference
  - (B) return 0 exits the function and exit(0) exits the program
  - (C) exit(0) gives an error
  - (D) return 0 gives an error
- 055 What does the following declaration mean in C programming language?

int (\*ptr)[10];

- (A) *ptr* is array of pointers to 10 integers
- (B) *ptr* is a pointer to an array of 10 integers
- (C) *ptr* is an array of 10 integers
- (D) *ptr* is an pointer to array

- **056** What is (void \*)0 in C?
  - (A) representation of a null pointer
  - (B) representation of void pointer
  - (C) representation of a pointer to a pointer
  - (D) none of the above
- **057** Which of the following is not logical operator in C programming language?
  - (A) !
    (B) &&
    (C) ||
    (D) &
- 058 In C, if you pass an array as an argument of a function, what actually gets passed?
  (A) values of elements in the array
  (B) first element of the array
  (C) base address of the array
  (D) none of the above
- 059 Does an object of the child class have memory allocated for the private data members of the parent class?(A) never
  - (B) sometimes
  - (C) depends on inheritance type
  - (D) always
- 060 Which of the following functions in C programming language is used to find the first occurrence of a given string in another string?
  - (A) strchr() (B) strrchr()
  - (C) strstr() (D) strnset()

061 Let  $L=\{w \# x | x \text{ has a substring which is reversal of } w$ , where w and x are strings defined over the alphabet set  $\{a, b\}$ .

(A) L is regular.

- (B) L is both regular and context free.
- (C) L is not regular but context free.
- (D) L is not regular and not context free.
- **062** Which of the following is incorrect about regular languages?
  - (A) Union of regular languages is commutative.
  - (B) Union of regular languages in associative.
  - (C) Concatenation of regular language is commutative.
  - (D) None of the above
- 063 Consider the GoBackN protocol with a sender window size of 7 and a sequence number range of 1, 024. Suppose that at time t, the next in-order packet that the receiver is expecting has a sequence number of K. Which of the following is a valid sequence number group at the sender assuming that the medium does not reorder messages.
  - (A) (K-7, K-6, K-5, K-4, K-3, K-2, K-1)
  - (B) (K+6, K+5, K+4, K+3, K+2, K+1, K)
  - (C) Both A and B.
  - (D) Neither A nor B.

- **064** Pseudoheader in UDP is used for the following reasons:
  - (A) To provide protection against misrouted datagrams
  - (B) For checksum calculations
  - (C) To protect the real header
  - (D) Both A and B
- **065** WAN stands for
  - (A) Wap Area Network
  - (B) Wide Area Network
  - (C) Wide Array Net
  - (D) Wireless Area Network
- 066 Hosts A and B are communicating over a TCP connection, and Host B has already received from A all bytes up through byte 126. Suppose Host A then sends two segments to Host B back-to-back. The first and second segments contain 80 and 40 bytes of data, respectively. In the first segment, the sequence number is 127, If the second segment arrives before the first segment, in the acknowledgement of the first arriving segment to B, what is the acknowledgment number?

(A) 246	(B) 127
(C) 167	(D) 206

- **067** What is the time complexity of Huffman Coding?
  - (A) O(n)
  - $(B) \ O(n \ log \ n)$
  - (C)  $O(n (\log n)^2)$
  - (D)  $O(n^2)$

- **068** How to resolve a shift-shift conflict in a shift-reduce parsing algorithm?
  - (A) Ignore the conflict and continue the algorithm
  - (B) Choose one of the shift actions randomly
  - (C) Rewrite the grammar to avoid the shiftshift conflicts
  - (D) We cannot use the grammar for parsing
- **069** What is the time complexity (w.r.t. the number of tokens) of the fastest algorithms for parsing any arbitrary context-free grammar?
  - (A) Linear (B) Quadratic
  - (C) Cubic (D) Quartic
- **070** Which of the following grammars is/are unambiguous:
  - (1)  $S \rightarrow SS|(S)|\epsilon$  (2)  $S \rightarrow S(S)S|\epsilon$ (3)  $S \rightarrow S(S)|\epsilon$  (4)  $S \rightarrow (S)S|\epsilon$ (A) 1,2, 3, 4 (B) 2, 3, 4 (C) 3, 4 (D) 4
- 071 Let L be a language defined on {a, b} and consisting of strings such that number of occurrences of "ab" is equal to occurrences of "ba". Then
  - (A) L is a regular language
  - (B) L is not a regular language but a contextfree language
  - (C) L is not a context-free language but a context-sensitive language
  - (D) L is not a context-sensitive language

- **072** Which of the following memories needs refresh?
  - (A) DRAM
  - (B) SRAM
  - (C) ROM
  - (D) All of above
- 073 MS JK Flip-Flop is equivalent to:
  (A) JK Flip-Flop
  (B) SR Flip-Flop
  (C) Negative edge-triggered Flip-Flop
  - (D) Positive edge-triggered Flip-Flop
- 074 Which of the following requires a device driver?
  - (A) Register
  - (B) Cache
  - (C) Main memory
  - (D) Disk

075 Which of the statements are correct?

- (A) Moore and Mealy machines are computationally equivalent.
- (B) Moore machine is computationally more powerful than Mealy machine.
- (C) Mealy machine is computationally more powerful than Moore machine.
- (D) None of the above.

- **076** When a top-down approach of dynamic programming is applied to a problem, it usually
  - (A) Decreases both, time complexity and space complexity
  - (B) Increases time complexity and decreases space complexity
  - (C) Decreases time complexity and increases space complexity
  - (D) Increases both, time complexity and space complexity
- **077** Which of the following problems is known to have a polynomial time solution?
  - (A) Longest Simple Path problem for a given graph
  - (B) Linear Programming Problem
  - (C) Integer Linear Programming Problem
  - (D) Hamiltonian Cycle problem
- **078** Which of the following basic algorithms can be used to most efficiently determine the presence of a cycle in a given graph?
  - (A) Spanning Tree Algorithm
  - (B) Depth First Search Algorithm
  - (C) Breadth-first search algorithm
  - (D) None of the above
- 079 The problem 3-SAT and 2-SAT are
  - (A) both in P
  - (B) both NP complete
  - (C) NP-complete and in P respectively
  - (D) Undecidable and NP-complete respectively

- 080 Which of the following problems is NOT solved using dynamic programming?(A) 0/1 Knapsack problem
  - (B) Matrix chain multiplication problem
  - (C) Edit distance problem
  - (D) Fractional Knapsack problem
- 081 Which statement is true about clique decision problem
  - I. clique problem is in NP
  - II. 3-SAT problem is reducible to clique problem in polynomial time
  - (A) Statement I is true and Statement II is false
  - (B) Statement II is true and Statement I is false
  - (C) Both Statement I and Statement II are true
  - (D) Both Statement I and Statement II are false

**082** What are appropriate data structures for the following algorithms:

- 1) Breadth First Search
- 2) Depth First Search
- 3) Prim's Minimum Spanning Tree
- 4) Kruskal's Minimum Spanning Tree
- (A) 1) Stack, 2) Queue, 3) Priority Queue,4) Union Find
- (B) 1) Queue, 2) Stack, 3) Priority Queue,4) Union Find
- (C) 1) Stack, 2) Queue, 3) Union Find,4) Priority Queue
- (D) 1) Priority Queue, 2) Queue, 3) Stack,4) Union Find

- 083 If there are 'n' processes in a system, with the time-quanta less than the CPU burst times of all these processes in a given round, then the number of preemptions is at least:
  - (A) 2n (B) n
  - (C) 2n-1 (D) n-1
- 084 A thread is usually defined as a 'light weight process' because an operating system (OS) maintains smaller data structures for a thread than for a process. In relation to this, which of the followings is TRUE?
  - (A) On per-thread basis, the OS maintains only CPU register state
  - (B) The OS does not maintain a separate stack for each thread
  - (C) On per thread basis, the OS maintains only scheduling and accounting information
  - (D) On per-thread basis, the OS does not maintain virtual memory state
- 085 Consider the program involving fork() system call given below.
  #include<stdio h>

#include<unistd.h>
int main()

- {
- fork() && fork();
  printf("forked");
  return 0:
- }

How many processes get spawned after executing the above program?

(A) at most 3 (B) 8 (C) 4 (D) 16

- **086** Consider a virtual memory system with FIFO page replacement policy. For an arbitrary page access pattern, increasing the number of page frames in main memory will
  - (A) Always decrease the number of page faults
  - (B) Always increase the number of page faults
  - (C) Sometimes increase the number of page faults
  - (D) Never affect the number of page faults

## **087** In demand paging:

- (A) There is external fragmentation
- (B) There is no internal fragmentation
- (C) There is no external fragmentation
- (D) None of the above
- **088** Consider the systems, each consisting of m linear equations in n variables.
  - I. If m < n, then all such systems have a solution
  - II. If m > n, then none of these systems has a solution
  - III. If m = n, then there exists a system which has a solution
  - Which one of the following is CORRECT?
  - (A) I, II and III are true
  - (B) Only II and III are true
  - (C) Only III is true
  - (D) None of them is true

089 The following simultaneous equations, x + y + z = 3, x + 2y + 3z = 4, x + 4y + kz = 6will not have a unique solution for k equals to

- (A) 0
  (B) 5
  (C) 6
  (D) 7
- **090** What is the minimum number of students required in a class to be sure that at least six will receive the same grade, if there are five possible grades, A, B, C, D, and F?
  - (A) 27 (B) 28
  - (C) 30 (D) 26
- **091** A body originally at  $60^{\circ}C$  cools down to  $40^{\circ}C$ in 15 minutes when kept in air at a temperature  $25^{\circ}C$ . What will be the temperature of the body at the end of 30 minutes?
  - (A)  $35.2^{0}C$  (B)  $31.5^{0}C$ (C)  $28.7^{0}C$  (D)  $15^{0}C$

**092** Which of the following statements is logically equivalent to  $\neg \forall x \forall y(p(x, y) \rightarrow q(x, y))$  for the propositional variables x and y, and binary predicates p(x, y) and q(x, y)? (A)  $\exists x \exists y (p(x, y) \land \neg q(x, y))$ (B)  $\exists x \exists y (p(x, y) \land \neg q(x, y))$ (C)  $\exists x \forall y (p(x, y) \land \neg q(x; y))$ (D)  $\exists x \forall y (p(x, y) \lor \neg q(x; y))$  **093** What is the probability that a positive integer selected at random from the set of positive integers not exceeding 100 is divisible by either 2 or 5?

(A) 3/5	(B) 2/5
(C) 1/5	(D) ¾

- 094 Let G be a connected graph with  $|G| \ge 2$  and let v be a vertex in G. If  $G \setminus \{v\}$  is connected, then,
  - (A)  $\deg(v) = 1$
  - (B) v is on a cycle
  - (C) either deg(v) = 1 or v is on a cycle
  - (D) both deg(v) = 1 and v is on a cycle
- **095** For a scalar function  $f(x, y, z) = x^2 + 3y^2 + 2z^2$ , the gradient at the point P (1, 2,-1) is \_\_\_\_\_ (A) 2i + 6j + 4k (B) 2i + 12j - 4k (C) 2i + 12j + 4k (D)  $\sqrt{56}$

.2666 (D) 0.3446
.2666 (D) 0.3

**097** There are two containers, one containing 4 red and 3 green balls and the other containing 3 blue and 4 green balls. One ball is drawn at random from each container. The probability that one of the balls is red and the other is blue will be

(A) 1/7	(B) 9/49
(C) 12/49	(D) 3/7

**098** Consider a function f(x) = 1 - |x| on  $-1 \le x \le 1$ . The value of x at which the function attains a maximum and the maximum value of the function are:

(A) 0, –1	(B) –1, 0
(C) 0, 1	(D) –1, 2

099 Which of the following relations is a total order?
(A) Less than
(B) Less than or equal to
(C) Divides
(D) Subset

100 Recurrence relation for Strassen Matrix multiplication is (A)  $T(n) = 7T(n/2) + \Theta(n2)$ (B)  $T(n) = 7T(n-1) + \Theta(n2)$ (C)  $T(n) = 7T(n/2) + \Theta(n)$ (D)  $T(n) = 2T(n-1) + \Theta(n)$